

Anzahl von Werkzeug							Presse								
Stangentyp	B	H	D	M-Nr	Legierung	Toleranz	800	1500	1602	2502	3500	Total			
Flach	4	2.5	-	85570	EN AW-6063	.	1					1			
	6	2.98	-	38939	EN AW-3003	.	1					1			
	6.3	3	-	87239	EN AW-3003	.	2					2			
	8	2	-	80082	EN AW-6060	.	2						2		
				5	EN AW-6060	.	1						1		
				26987	EN AW-6060	.	1						1		
	9.8	2.8	-	306744	EN AW-6060	.	1					1			
	9.9	1.9	-	302870	EN AW-6060	.	1					1			
	10	2.98	-	38940	EN AW-3003	.	1						1		
				9	EN AW-6060	.	1						1		
				6	6949	EN AW-6060	.	2						2	
					304612	EN AW-6060	.	1						1	
				8	-	11	EN AW-6060	.	2						2
						32370	EN AW-6060	.	1						1
	12	2	-	12	EN AW-6060	.	1						1		
				3	13	EN AW-6060	.	2						2	
						EN AW-6063	.	1						1	
				8	-	18829	EN AW-6060	.	2					2	
				10	-	37250	EN AW-6060	.	1					1	
	13	7	-	31522	EN AW-6063	.			1			1			
	13.4	10	-	33886	EN AW-6060	.	3					3			
	15	2	-	32582	EN AW-6063	.	2						2		
				302555	EN AW-6082	.	1						1		
				4	-	35386	EN AW-6060	.			2			2	
				5	-	88031	EN AW-6063	.			1			1	
				6	-	4429	EN AW-6060	.	3					3	
				8	-	20	EN AW-6060	.	2		2			4	
				10	-	306105	EN AW-6060	.	2						2
						308141	EN AW-6012	.		1					1
	17	11.3	-	303467	EN AW-6060	.			1			1			
	18	5	-	1655	EN AW-6060	.	1					1			
	19	5.6	-	304677	EN AW-6060	.	1					1			
	20	3	-	26	EN AW-6060	.	3						3		
				6	-	88030	EN AW-6063	.			1			1	
				10	-	303034	EN AW-3003	.	3		3			6	
				15	-	307866	EN AW-2007	.				1		1	
	21.6	11.6	-	307973	EN AW-2011	.				1		1			
	22	2	-	87767	EN AW-6060	.	1					1			
	23.5	7	-	303460	EN AW-6060	.			1			1			
	25	10	-	25663	EN AW-6060	.			3				3		
				303042	EN AW-6060	.			1				1		
				16	-	35818	EN AW-6018	.		1				1	
				19	-	304078	EN AW-6063	.				1		1	
	25.5	15.5	-	30621	EN AW-6082	.		2				2			
	26	18	-	36452	EN AW-6018	.		1				1			
	27	20.1	-	307827	EN AW-6082	.				1		1			
	27.35	10.25	-	307709	EN AW-6082	.				4		4			
	28	5	-	303019	EN AW-6060	.						1	1		
				33623	EN AW-6018	.		2					2		
	28.45	10.25	-	307840	EN AW-6082	.				6		6			
	28.75	18	-	38782	EN AW-6018	.		1				1			
	29.35	14.4	-	307231	AA 6026	.			1	1			2		
					AA 6262	.			1	1			2		
					EN AW-6082	.			2	2			4		
	30	15	-	32716	EN AW-6063	.			1				1		
				308026	EN AW-2011	.					1		1		
	17.4	-	34239	EN AW-6082	.		1				1				

Anzahl von Werkzeug							Presse							
Stangentyp	B	H	D	M-Nr	Legierung	Toleranz	800	1500	1602	2502	3500	Total		
Flach	30	20	-	306906	EN AW-6063	.			1			1		
				307784	EN AW-2011	.				1		1		
				307801	EN AW-2007	.				1		1		
	32	22	-	85844	EN AW-6018	.		1				1		
				307651	EN AW-2011	.				1		1		
				307947	AA 6023	.		1				1		
	32.8	25	-	15352	EN AW-6082	.		1				1		
				303900	AA 6023	.				2		2		
				307863	AA 6023	.				1		1		
	33	16	-	34806	EN AW-6018	.		1				1		
	34	30	-	307234	AA 6023	.				2		2		
	35	3	-	50	EN AW-6060	.	1						1	
				32318	EN AW-6082	.	1						1	
		22	-	307405	EN AW-2007	.				2			2	
				30	-	34444	EN AW-6082	.				1		1
	37.2	25	-	306907	EN AW-6063	.				1			1	
				307865	AA 6023	.				1			1	
	38	25	-	39429	EN AW-6018	.		1				1		
	40	4	-	34578	EN AW-6060	.	1						1	
				10	-	308006	EN AW-2011	.				1		1
		15	-	307581	EN AW-2007	.				2			2	
					EN AW-2011	.				2			2	
		20	-	307799	EN AW-2011	.				2			2	
					22	-	25271	EN AW-6082	.		1	1		2
		22	-	304490	32350	EN AW-6018	.		2		2			4
					AA 6262	.				1			1	
					EN AW-6082	.				1			1	
					304491	EN AW-6082	.				1			1
					306680	AA 6262	.				1			1
		23	-	85352	EN AW-6082	.				1	1		2	
		25	-	3217	EN AW-6060	.				2				2
	307626				EN AW-2011	.				2			2	
	30	-	307584	EN AW-2011	.				2				2	
				307881	EN AW-2007	.				1				1
	36	-	35300	EN AW-6018	.		1					1		
	41	6	-	82374	EN AW-6063	.	1						1	
	45	5	-	66	EN AW-6060	.			1				1	
				307593	EN AW-2011	.				1			1	
				307445	EN AW-6012	.				1			1	
	46	30	-	307612	EN AW-2011	.				1			1	
				35	-	32171	EN AW-6018	.				1		1
	50	3.2	-	84741	EN AW-6063	.	1						1	
				5	-	69	EN AW-6060	.	3					3
		15	-	306588	EN AW-6082	.				1			1	
					307867	EN AW-2007	.				2			2
		20	-	306589	EN AW-6082	.				1			1	
					307585	EN AW-2011	.				1			1
					308043	EN AW-2007	.				1			1
		25	-	3226	EN AW-6082	.				2				2
					81785	EN AW-6082	.				1			1
307628					EN AW-2011	.				1			1	
307802					EN AW-2007	.				2			2	
27	-	37382	EN AW-6012	.				2			2			
30	-	5733	EN AW 6082	.				1				1		
			306590	EN AW-6082	.				4			4		
			307712	EN AW-2011	.				2			2		

Anzahl von Werkzeug							Presse							
Stangentyp	B	H	D	M-Nr	Legierung	Toleranz	800	1500	1602	2502	3500	Total		
Flach	50	30	-	307868	EN AW-2007	.				1		1		
				307944	AA 6026	.				1		1		
		35	-	307486	EN AW-2011	.				2		2		
		37	-	37405	EN AW-6018	.				3		3		
		40	-	306591	EN AW-6082	.				2		2		
				307487	EN AW-2011	.				3		3		
	51	33.6	-	307652	EN AW-2011	.				1		1		
	52	26	-	33706	EN AW-6082	.		1					1	
				32	-	32349	EN AW-6018	.				2		2
		304489	AA 6020			.				1		1		
			AA 6262			.				1		1		
			EN AW-6082			.				1		1		
		304492	EN AW-6082	.					1		1			
	306011	AA 6023	.					2		2				
	35	-	306178	EN AW-6082	.				1		1			
	54	20	-	302112	EN AW-6018	.		1					1	
				43	-	34376	EN AW-6018	.				1		1
	55	13	-	304823	EN AW-6060	.				1			1	
				30	-	300189	EN AW-6018	.				1		1
						307310	EN AW-6012	.				1		1
						307404	EN AW-2007	.				3		3
		307467	EN AW-2007	.					1		1			
		34	-	307485	EN AW-2007	.				2		2		
				307552	EN AW-6012	.				1		1		
		36	-	35344	EN AW-6018	.				1		1		
		45	-	37551	EN AW-6082	.				1		1		
		47.5	-	307835	EN AW-6082	.				1		1		
	60	15	-	306592	EN AW-6082	.				1			1	
				307869	EN AW-2007	.				1		1		
		20	-	82	EN AW-6082	.				1		1		
				308027	EN AW-2011	.				1		1		
		25	-	307920	EN AW-2011	.				1		1		
		30	-	306593	EN AW-6082	.				2		2		
				307582	EN AW-2011	.				3		3		
				307961	EN AW-2007	.				2		2		
				307980	EN AW-7020	.				1		1		
		35	-	39817	EN AW-6018	.				2		2		
				306594	EN AW-6082	.				1		1		
				307676	EN AW-2011	.				2		2		
				307982	EN AW-7020	.				1		1		
		40	-	305026	EN AW-6082	.				1		1		
				306595	EN AW-6082	.				1		1		
				307501	EN AW-2007	.				1		1		
					EN AW-2011	.				2		2		
		307681	EN AW-2007	.				1		1				
	45	-	307502	EN AW-2011	.				1		1			
	50	-	307586	EN AW-2011	.				2		2			
	64	50.5	-	302732	EN AW-6060	.				1		1		
	65	35	-	307446	EN AW-2007	.				4		4		
				307839	EN AW-2011	.				1		1		
45		-	307587	EN AW-2011	.				1		1			
50		-	306916	EN AW-6082	.				1		1			
54		-	304620	EN AW-6060	.				2		2			
65.8	44.9	-	300052	EN AW-6018	.				1		1			
70	20	-	89	EN AW-6082	.				2		2			
			307948	EN AW-2011	.				2		2			
			25	-	306596	EN AW-6082	.				1		1	

Anzahl von Werkzeug							Presse								
Stangentyp	B	H	D	M-Nr	Legierung	Toleranz	800	1500	1602	2502	3500	Total			
Flach	70	25	-	307718	EN AW-2011	.				1		1			
		30	-	306597	EN AW-6082	.				1		1			
				307598	EN AW-2011	.				2		2			
				307945	AA 6026	.				1		1			
		35	-	307713	EN AW-2011	.					1		1		
				307983	EN AW-7020	.					1		1		
		40	-	32265	AA 6262	.					2		2		
					EN AW-6018	.					2		2		
				304493	EN AW-6082	.						4		4	
				306598	EN AW-6082	.						1		1	
				307311	EN AW-6012	.						1		1	
				307524	EN AW-2007	.						1		1	
		44	-	34443	EN AW-6018	.						1		1	
					307677	EN AW-2011	.						1		1
	30486				EN AW-6082	.						1		1	
	308149				EN AW-6012	.						1		1	
	307715				EN AW-2011	.						1		1	
	71				30.5	-	39628	EN AW-6082	.				1		1
	73.8				26.5	-	307066	AA 6023	.				4		4
	80	7.4	-	301347	EN AW-6060	.			1				1		
				15	306599	EN AW-6082	.					1		1	
					307803	EN AW-2007	.					1		1	
		20	-	306600	EN AW-6082	.					1		1		
				307949	EN AW-2011	.					1		1		
				307955	EN AW-2007	.					2		2		
		25	-	306601	EN AW-6082	.					1		1		
				307783	EN AW-2011	.					1		1		
		30	-	306602	EN AW-6082	.					1		1		
				307588	EN AW-2011	.					1		1		
		35	-	307900	EN AW-2011	.					1		1		
		40	-	306603	EN AW-6082	.					2		2		
				307755	EN AW-2011	.					1		1		
				307962	EN AW-2007	.					2		2		
		50	-	307716	EN AW-2011	.					1		1		
		51	-	307820	EN AW-2011	.					1		1		
		60	-	307678	EN AW-2011	.					1		1		
		65	-	37552	EN AW-6082	.					1		1		
		70	-	308078	EN AW-2011	.					1		1		
		85	44	-	307275	EN AW-6012	.					3		3	
	34115				EN AW-6082	.					1		1		
	86	5.35	-	304924	EN AW-6082	.						1	1		
	90	15	-	307804	EN AW-2007	.					1		1		
				20	307648	EN AW-2011	.					1		1	
					307806	EN AW-2007	.					1		1	
		25	-	307805	EN AW-2007	.					1		1		
		30	-	307849	EN AW-2011	.					1		1		
		40	-	307503	EN AW-2007	.					1		1		
EN AW-2011					.					1		1			
45		-	307679	EN AW-2011	.					1		1			
50		-	307717	EN AW-2011	.					1		1			
60		-	307753	EN AW-2011	.					1		1			
70		-	307943	EN AW-2011	.					1		1			
80	-	37553	EN AW-6082	.					1		1				
97	3	-	86980	EN AW-3003	.			1				1			
			86981	EN AW-3003	.			1				1			
98	5.35	-	304958	EN AW-6082	.						1	1			

Anzahl von Werkzeug							Presse							
Stangentyp	B	H	D	M-Nr	Legierung	Toleranz	800	1500	1602	2502	3500	Total		
Flach	100	5.5	-	303148	EN AW-6082	.					2	2		
		15	-	306604	EN AW-6082	.				1		1		
		20	-	306605	EN AW-6082	.				2		2		
				307927	EN AW-2007	.				2		2		
				308058	EN AW-2011	.				1		1		
		25	-	306606	EN AW-6082	.				1		1		
		30	-	306607	EN AW-6082	.				2		2		
				307848	EN AW-2011	.				1		1		
		40	-	307733	EN AW-2011	.				1		1		
	50	-	85622	EN AW-6082	.				1		1			
			307752	EN AW-2011	.				1		1			
	60	-	307846	EN AW-2011	.				1		1			
	120	15	-	306608	EN AW-6082	.				1		1		
				307956	EN AW-2007	.				2		2		
		20	-	306609	EN AW-6082	.				1		1		
		30	-	306610	EN AW-6082	.				1		1		
				307871	EN AW-2007	.				2		2		
		40	-	308055	EN AW-2011	.				1		1		
	60	-	82204	EN AW-6082	.				2		2			
	126	50	-	308003	EN AW-2011	.				2		2		
	136	6	-	302246	EN AW-6060	.					2	2		
	141.3	16	-	307680	EN AW-2007	.				1		1		
	142.5	5.5	-	303583	EN AW-6082	.					3	3		
	150	15	-	306611	EN AW-6082	.				1		1		
				306612	EN AW-6082	.				1		1		
		20	-	307929	EN AW-2007	.				1		1		
				19951	EN AW-6082	.				1		1		
24.9	11.9	-	308138	EN AW-2011	.				1		1			
Rundstangen	-	-	5	306180	EN AW-6082	EN 755-3	1					1		
			7	306181	EN AW-6082	EN 755-3	1						1	
			8	307512	EN AW-2011	h11	2	4					6	
			10	306183	EN AW-6082	EN 755-3		1					1	
				306184	EN AW-6082	h11		1	1				2	
				307242	EN AW-2017A	h11	1						1	
				307596	EN AW-2011	h11	1	2					3	
			12	307243	EN AW-2011	h11	2						2	
				307633	EN AW-2011	h11		2					2	
				307877	EN AW-2011	EN 755-3		1					1	
			13	307897	EN AW-6082	h10		1					1	
			14	307491	EN AW-2011	h11	3	9						12
				306185	EN AW-6082	h11		1					1	
			15	307653	EN AW-2011	h11		4					4	
				306786	AA 6023	EN 755-3			1				1	
				307569	EN AW-2011	h11		4					4	
				307592	EN AW-6082	h10			2				2	
			16	308148	EN AW-2011	EN 755-3		1					1	
				307807	EN AW-2011	h11				2			2	
				307889	EN AW-2011	EN 755-3				1			1	
			18	307513	EN AW-2011	h11				2			2	
				307822	EN AW-6082	Spezial				2			2	
			20	306787	AA 6023	EN 755-3			2				2	
				307470	AA 6023	Spezial					1		1	
				307507	EN AW-6082	h10					1		1	
				307583	AA 6026	h10						1	1	
				307591	EN AW-2011	h11						4	4	
				307800	EN AW-6082	EN 755-3		1					1	
				307858	AA 6023	h11						1	1	

Anzahl von Werkzeug							Presse								
Stangentyp	B	H	D	M-Nr	Legierung	Toleranz	800	1500	1602	2502	3500	Total			
Rundstangen	-	-	20	307878	EN AW-2011	EN 755-3				1		1			
				307925	EN AW-2007	EN 755-3				1		1			
			21	307611	EN AW-2011	h11						2		2	
				308200	EN AW-6082	EN 755-3						1		1	
				308110	EN AW-2011	EN 755-3						1		1	
			22	307570	EN AW-2011	h11						2		2	
				307852	AA 6026	h11							1	1	
				307879	EN AW-2011	EN 755-3						1		1	
			24	306187	EN AW-6082	EN 755-3						1		1	
				307263	AA 6020	h10						1		1	
				307998	EN AW-2011	h11						1		1	
			25	307323	EN AW-6082	Spezial						2		2	
				307508	EN AW-6082	h10							1	1	
				307597	EN AW-2011	h11						3		3	
				307655	EN AW-6082	h11				1		6		7	
				307808	AA 6023	H13						1		1	
				307922	EN AW-2007	EN 755-3						2		2	
				308042	AA 6023	h11						1		1	
				308025	EN AW-2011	EN 755-3						1		1	
				26	307730	EN AW-2011	h11						2		2
				27	307650	EN AW-2011	h11						1		1
			28	307565	EN AW-2011	h11						2		2	
				307567	AA 6026	h10						1		1	
			30	307363	AA 6262A	h10						1		1	
				307509	EN AW-6082	h10						1		1	
				307514	EN AW-2011	h11						8		8	
				307602	AA 6026	h10						2		2	
				307745	AA 6023	EN 755-3							1		1
					AA 6026	EN 755-3							1		1
					EN AW-6082	EN 755-3							1		1
				307791	EN AW-2007	EN 755-3						2		2	
			307880	EN AW-2011	EN 755-3						1		1		
			32	307515	EN AW-2011	h11						2		2	
				307853	AA 6026	h11							1	1	
				307976	EN AW-2011	EN 755-3						1		1	
			33	307775	EN AW-6082	Spezial							2	2	
			34	307974	EN AW-2011	h11						1		1	
			35	307471	AA 6023	H13						1		1	
				307566	EN AW-2011	h11						4		4	
				307603	AA 6026	h10						2		2	
				307912	EN AW-2011	EN 755-3						1		1	
				307926	EN AW-2007	EN 755-3						1		1	
				307979	EN AW-6082	EN 755-3						2		2	
				308049	AA 6026	EN 755-3							1	1	
			36	306572	EN AW-6082	EN 755-3						1		1	
				307493	EN AW-2011	h11						2		2	
				307734	AA 6020	Spezial						1		1	
				307884	EN AW-2011	EN 755-3						1		1	
			38	306644	EN AW-6082	Spezial						1		1	
				306772	EN AW-6082	EN 755-3						4	2	6	
				307443	EN AW-2011	Spezial						7	6	13	
					EN AW-6082	Spezial						7	6	13	
				307494	EN AW-2011	h11						2		2	
				307975	EN AW-2011	EN 755-3						1		1	
			40	307229	AA 6023	EN 755-3						1		1	
				307273	EN AW-2017A	EN 755-3						1		1	
				307516	EN AW-2011	h11						8		8	

Anzahl von Werkzeug							Presse								
Stangentyp	B	H	D	M-Nr	Legierung	Toleranz	800	1500	1602	2502	3500	Total			
Rundstangen	-	-	40	307604	AA 6026	h10				2		2			
				307786	EN AW-2007	EN 755-3				2		2			
				307812	EN AW-6082	.						4	4		
				307834	AA 6023	H13						1	1		
			307913	EN AW-2011	EN 755-3						1	1			
			41	307307	EN AW-6082	h11						1	1		
				307490	EN AW-2011	h11						1	1		
			42	303715	EN AW-2011	Spezial						1	1		
				307495	EN AW-2011	h11						2	2		
				307854	AA 6026	Spezial						1	1		
				307873	EN AW-2007	EN 755-3						1	1		
				307885	EN AW-2011	EN 755-3						1	1		
				306219	EN AW-6082	EN 755-3						1	1		
			45	307517	EN AW-2011	h11						4	4		
				307605	AA 6026	h10						2	2		
				307789	EN AW-2007	EN 755-3						2	2	4	
					EN AW-2017A	EN 755-3						1	1	2	
				307851	AA 6026	EN 755-3						1	1		
				307914	EN AW-2011	EN 755-3						1	1		
			48	307674	EN AW-2011	h11						2	2		
				307862	EN AW-6082	Spezial							1	1	
				307977	EN AW-2011	EN 755-3						1	1		
			50	306754	AA 6023	EN 755-3						2	2		
					AA 6026	EN 755-3						1	1		
					EN AW-6082	EN 755-3						1	1		
				307274	EN AW-2017A	Spezial						1	1		
				307496	EN AW-2011	h11						3	3		
				307525	AA 6023	H13						1	1		
				307606	AA 6026	h10						2	2		
				307726	EN AW-6082	EN 755-3						2	2		
				307762	EN AW-6082	Spezial						2	2		
				307780	EN AW-2007	EN 755-3							2	2	
				307915	EN AW-2011	EN 755-3						1	1		
				52	307874	EN AW-2007	EN 755-3							1	1
					307886	EN AW-2011	EN 755-3						1	1	
			54	307075	EN AW-2017A	EN 755-3					3	3			
			55	306778	AA 6023	EN 755-3						2	2		
				307497	EN AW-2011	h11						8	8		
				307607	AA 6026	h10						2	2		
				307773	EN AW-6082	Spezial						1	1		
				307781	EN AW-2007	EN 755-3							2	2	
				307887	EN AW-2011	EN 755-3						2	2		
			56	307644	AA 6023	Spezial							1	1	
					AA 6026	Spezial							1	1	
				307757	EN AW-2011	h11						1	1		
			58	307758	EN AW-2011	h11						1	1		
				307828	AA 6023	EN 755-3						1	1		
				308031	EN AW-6082	EN 755-3						2	2	4	
			60	307230	AA 6023	EN 755-3						1	1	2	
					AA 6026	EN 755-3						3	3	6	
					EN AW-6082	EN 755-3						4	4	8	
				307481	AA 6023	H13						1	1		
				307510	EN AW-6082	h10						1	1		
				307601	EN AW-2011	h11						4	4		
				307608	AA 6026	h10						2	2		
				307614	EN AW-6082	Spezial						1	1		

Anzahl von Werkzeug							Presse									
Stangentyp	B	H	D	M-Nr	Legierung	Toleranz	800	1500	1602	2502	3500	Total				
Rundstangen	-	-	60	307642	EN AW-6082	EN 755-3				3		3				
				307778	EN AW-2007	EN 755-3				2		2				
				307859	EN AW-2011	EN 755-3				2		2				
				308068	AA 6023	EN 755-3				1		1				
			AA 6026		EN 755-3				1		1					
			61	307624	EN AW-6082	EN 755-3						1		1		
			64	307898	EN AW-6082	Spezial						1		1		
			65	307247	AA 6023	EN 755-3							1		1	
				307398	AA 6023	Spezial							1		1	
					EN AW-2007	Spezial							1		1	
				307472	AA 6023	H13							1		1	
				307498	EN AW-2011	h11							3		3	
				307568	AA 6026	h10							2		2	
				307641	EN AW-6082	EN 755-3							6		6	
				307782	EN AW-2007	EN 755-3								2		2
					EN AW-2017A	EN 755-3								1		1
				307902	EN AW-2011	EN 755-3							2		2	
				307919	AA 6026	EN 755-3								1		1
					EN AW-6082	EN 755-3								1		1
				66	307645	AA 6023	EN 755-3								1	1
			AA 6026			EN 755-3								1	1	
			307896		EN AW-2011	h11							1		1	
			68	307774	EN AW-6082	Spezial							1		1	
			70	307675	EN AW-2011	h11							2		2	
				307722	AA 6026	EN 755-3							2		2	
					EN AW-6082	EN 755-3								1		1
				307727	EN AW-6082	EN 755-3							4		4	
				307779	EN AW-2007	EN 755-3							2		2	
				307916	EN AW-2011	EN 755-3							2		2	
			75	307613	EN AW-6082	Spezial							1		1	
				307646	EN AW-2011	h12							1		1	
				307723	AA 6026	EN 755-3							2		2	
					EN AW-6082	EN 755-3								1		1
				307788	EN AW-2007	EN 755-3							2		2	
				307847	EN AW-6082	EN 755-3							1		1	
				307856	EN AW-2011	h11							1		1	
				307941	EN AW-2011	EN 755-3							2		2	
				80	306788	AA 6023	EN 755-3							1		1
			EN AW-2007			EN 755-3							1		1	
			307647		EN AW-2011	h12							2		2	
			307724		AA 6026	EN 755-3							2		2	
			307728		EN AW-6082	EN 755-3							3		3	
			307777		EN AW-2007	EN 755-3							2		2	
			307857		EN AW-2011	h11							1		1	
			307942		EN AW-2011	EN 755-3							4		4	
			82	307855	AA 6026	EN 755-3						1		1		
85	307787	EN AW-2007	EN 755-3							2		2				
	307841	EN AW-2011	h11							2		2				
	307909	AA 6026	EN 755-3							4		4				
	307917	EN AW-2011	EN 755-3							2		2				
90	307776	EN AW-6082	Spezial							1		1				
	307844	EN AW-2011	EN 755-3							2		2				
	307997	AA 6026	EN 755-3							1		1				
43	308201	EN AW-6082	EN 755-3						1		1					
71	308109	EN AW-2011	EN 755-3						1		1					
46	308080	EN AW-6082	EN 755-3							2		2				
Vierkant	5.1	5.1	-	85021	EN AW-3003	Spezial	1					1				

Anzahl von Werkzeug							Presse								
Stangentyp	B	H	D	M-Nr	Legierung	Toleranz	800	1500	1602	2502	3500	Total			
Vierkant	8	8	-	81152	EN AW-6082	h11	1					1			
	10	10	-	81154	EN AW-6082	h11	2					2			
				307731	EN AW-2011	EN 755-4		1			1				
	12	12	-	81155	EN AW-6082	h11	2	2				4			
	14	14	-	81156	EN AW-6082	h11	2					2			
	15	15	-	29610	EN AW-6082	h11	3		3				6		
				30906	EN AW-6082	Spezial		1					1		
				302308	EN AW-6082	Spezial	1						1		
				307785	EN AW-2011	h11						1		1	
	16	16	-	29460	EN AW-6082	h11	1					1			
	18	18	-	80542	EN AW-6082	h11			2				2		
				88020	EN AW-6082	h11		1					1		
	20	20	-	29693	EN AW-6082	h11			1				1		
				302307	EN AW-6082	Spezial						1		1	
				306613	EN AW-6082	EN 755-4			1					1	
				307629	EN AW-2011	EN 755-4					1			1	
				307969	EN AW-2007	EN 755-4						1			1
	22	22	-	86320	EN AW-6082	h11		1					1		
				88528	EN AW-6082	h11		1						1	
				303391	EN AW-6060	Spezial						1		1	
	25	25	-	2624	EN AW-6082	Spezial		2		2			4		
				39442	EN AW-6082	EN 755-4		1						1	
				80820	EN AW-6018	h11		1						1	
					EN AW-6082	h11		1						1	
				306614	EN AW-6082	EN 755-4			1					1	
				307578	EN AW-2011	EN 755-4					4				4
				307963	EN AW-2007	EN 755-4						2			2
	30	30	-	37681	EN AW-6082	h11					1	1	2		
				39325	EN AW-6018	h11		1			1			2	
				81018	EN AW-6082	h11					1			1	
				306615	EN AW-6082	EN 755-4					1			1	
				307489	EN AW-2011	EN 755-4						3			3
				307810	EN AW-2011	h11						1			1
				307964	EN AW-2007	EN 755-4						2			2
	32	32	-	80801	EN AW-6018	h11		1					1		
	32.5	32.5	-	34621	EN AW-6018	Spezial		1					1		
	35	35	-	39816	EN AW-6018	Spezial		2			3		5		
				306616	EN AW-6082	EN 755-4					1			1	
				307630	EN AW-2011	EN 755-4						1		1	
				307970	EN AW-2007	EN 755-4						2		2	
	40	40	-	37682	EN AW-6082	h11		1					1		
				302605	EN AW-6060	EN 755-4							1	1	
				306617	EN AW-6082	EN 755-4						2		2	
				307579	EN AW-2011	EN 755-4						4		4	
				307971	EN AW-2007	EN 755-4						2		2	
	42	42	-	301301	EN AW-6060	Spezial				1			1		
	45	45	-	306618	EN AW-6082	EN 755-4					1			1	
				307649	EN AW-2011	EN 755-4						2		2	
	47	47	-	36839	EN AW-6060	Spezial					1		1		
	50	50	-	123	AA 6023	EN 755-4					1			1	
					EN AW-6018	EN 755-4						1			1
					EN AW-6082	EN 755-4							2		2
				27586	EN AW-6082	Spezial						1			1
				37683	EN AW-6082	h11						1			1
81609				EN AW-6082	h11						2	2		4	
306790				EN AW-6060	Spezial							1		1	
307504				EN AW-2011	EN 755-4							3		3	

Anzahl von Werkzeug							Presse						
Stangentyp	B	H	D	M-Nr	Legierung	Toleranz	800	1500	1602	2502	3500	Total	
Vierkant	50	50	-	307506	EN AW-6082	EN 755-4				1		1	
	51	51	-	27587	EN AW-6082	Spezial				2		2	
	52	52	-	35745	EN AW-6060	Spezial				1	1	2	
	53	53	-	36840	EN AW-6060	Spezial				1		1	
	55	55	-	306619	EN AW-6082	EN 755-4				1		1	
				307580	EN AW-2011	EN 755-4				1		1	
				308041	EN AW-2007	EN 755-4				1		1	
	60	60	-	37684	EN AW-6082	h11				1		1	
				81915	EN AW-6082	h11				2		2	
				82843	EN AW-6082	Spezial				2		2	
				301140	EN AW-6018	h11				1		1	
				306620	EN AW-6082	EN 755-4				2		2	
				307631	EN AW-2007	EN 755-4				1		1	
					EN AW-2011	EN 755-4				2		2	
	307996	AA 6026	EN 755-4				1		1				
	61	61	-	82844	EN AW-6082	Spezial				2		2	
	65	65	-	307711	EN AW-2011	EN 755-4				1		1	
				307845	AA 6026	EN 755-4				1		1	
	65.5	65.5	-	36841	EN AW-6018	Spezial				1		1	
					EN AW-6060	Spezial				1		1	
					EN AW-6082	Spezial				1		1	
	70	70	-	18816	EN AW-6060	Spezial				1		1	
					EN AW-6082	Spezial				1		1	
					307756	EN AW-2011	EN 755-4				1		1
	72	72	-	30947	EN AW-6060	EN 755-4				1		1	
				307811	EN AW-2011	EN 755-4				1		1	
	75	75	-	36842	EN AW-6060	Spezial				1		1	
					307797	AA 6026	EN 755-4				1		1
					EN AW-6012	EN 755-4				1		1	
					307842	EN AW-2011	EN 755-4				1		1
	80	80	-	15841	EN AW-6082	Spezial				1		1	
				82845	EN AW-6082	Spezial				1		1	
				308019	EN AW-2011	EN 755-4				1		1	
81	81	-	82847	EN AW-6082	Spezial				2		2		
90	90	-	81027	EN AW-6082	EN 755-4				1		1		
Total							79	72	42	650	67	910	